

AIRPORT TECHNOLOGIES

R POWER

Rotary Ground Power Systems






R POWER

INDIVIDUAL GROUND POWER SYSTEMS

In a world where time is fleeting and the stakes are raised, we strive to meet our customers' needs with quality and lowest cost of ownership. Customer satisfaction is the only acceptable result of our innovations.

60 years of experience and existing partnerships prove us right. We ensure that you got the power. Anytime. Anywhere.




OUR SYSTEMS

- \rightarrow Centralized systems
- → Decentralized systems
- → Mobile systems

OUR SERVICE

- \rightarrow Project engineering
- ightarrow Facility planning
- → Financin
- \rightarrow Mechanical and electrical installation
- → Commissioning
- \rightarrow Training
- → Customer service
- → Service and maintenance
- → Spare parts supply

GUARANTEED POWER





RELIABILITY

Innovative technology and design, lowlevel maintenance and easy handling of Hitzinger 400 Hz ground power systems provide reliability and low operating cost.



EFFICIENCY

Using a Hitzinger 400 Hz ground power system provides highest efficiency in comparison to an airplane's auxiliary turbine. Operation costs and risk of accidents are significantly reduced.



FLEXIBILITY

We know about the challenges our customers face if it comes to finding the right ground power system for their particular requirements and needs. Maximum flexibility of our units is key to our customer satisfaction.

SIMPLY BRILLIANT

CENTRALIZED SYSTEMS

We are the proven partner for stationary 400 Hz systems in rotary design with a total system output up to 1600 kVA.

DECENTRALIZED SYSTEMS

State of the art technical design and extremely robust wear and maintenance-free design of the **R POWER** displays the strengths of our stationary converter range.

MOBILE CONVERTERS

We fulfill individual customer needs by applying a customized concept, using innovative materials, technology, and design which is efficient, reliable, and flexible.



FEATURES

- → Ratings: 200 315 kVA
- → 400 Hz distribution
- → Line drop compensation
- → Failure recorder
- → Visualization
- → Cable hoist
- → Crocodiles (cable trays)



FEATURES

- → Ratings: 10 180 kVA
- → Converter and switch panel integrated in a soundproof canopy
- → Guided control system
- → Safe operation and full protection/ supervision by microprocessor control
- → Easy access for service
- → Lifetime > 25 years
- → Highest reliability
- \rightarrow MTBF > value 50,000 h
- → Low harmonic content less than 1.5 %
- → Radio interference suppression
- → Failure recorder
- → Interface
- → Design acc. to DFS 400

OPTIONS

- → Other input voltage and/or frequency than 400 V, 50 Hz
- → Second output
- → Remote control box
- → Transformer start 1.5 x In



FEATURES

- → Ratings: 10 180 kVA/400 Hz, 600 2500 A/28 VDC
- → Easy to handle
- → Lifetime over 25 years
- → Maintenance free
- → Suitable for indoor and outdoor operation
- → Lowest noise levels


R POWER



PRODUCT FEATURES

- → Highest reliability
- → Multi-lingual display
- → Simple operation
- ightarrow Failure recorder with indication date, and time
- → Interface for remote check
- → Automatic service indication
- \rightarrow Service switch for self-test
- → Excellent access for service and maintenance
- → Extremely low noise level
- → Maintenance-free, smooth running solid rubber tires with steel spring-loaded axles (mobile design)





Mobile 28 VDC unit 600/2500 A



Powercon interface

FOR OVER 70 YEARS, QUALITY, EFFICIENCY, AND DURABILITY HAVE BEEN THE FOUNDATIONS OF OUR SUCCESS. COUNTLESS INDUSTRIES THROUGHOUT THE WORLD PLACE THEIR TRUST IN US TO PROTECT AND POWER THEIR BUSINESSES AT EVERY MOMENT OF EVERY DAY. AS A WORLD LEADER IN TAILOR-MADE POWER SOLUTIONS, WE ARE YOUR PARTNER FOR INNOVATION. VALUE AND SERVICE WE ENSURE THAT YOU'VE GOT THE POWER.

POWER, ANYTIME, ANYWHERE,











HITZINGER GmbH

Helmholtzstraße 56 4021 Linz, P.O. Box 5000 Austria

Phone: +43 732 381681-0 Fax: +43 732 381681-4 Mail: office@hitzinger.at Internet: www.hitzinger.at

HITZINGER (UK) Ltd.

50 Churchill Square Kings Hill, West Malling, KENT, ME 19 4YU United Kingdom

Phone: +44 1732 529 641
Fax: +44 1732 529 642
Mail: info@hitzinger.net
Internet: www.hitzinger.net

${\bf HITZINGER\ Pte\ Ltd.}$

3 Loyang Way 4 506956 Singapore Singapore

Phone: +65 31100042 Fax: +65 62141217 Mail: singapore@hitzinger.at Internet: www.hitzinger.at

HITZINGER USA

11764 Marco Beach Drive, Suite 4-6 Jacksonville, Florida, 32224

Phone: +1 904 330 0267 Mobile: +1 904 518 9635 Fax: +1 904 575 4974 Mail: sales@hitzinger.us Internet: www.hitzinger.us

VAT Identification No. ATU22982002 ARA License No. 5563 Data Processing Registration No. 484121 Commercial Register No. 83220h

